

Safety Data Sheet

UZIN U 1000

Carpet Tile Anti-Slip

Uzin Utz AG

Version: 06	revised: 15/02/06	replacement version 05: 17/03/03	page 2 of 3
-------------	-------------------	----------------------------------	-------------

1. Identification of the product and company

1.1 Product name

UZIN U 1000 Carpet Tile Anti-Slip.

1.2 Manufacturer

UZIN UTZ AG.
Dieselstraße 3
D-89079 Ulm
Tel.: +49 731 4097-0
Fax: +49 731 4097-110

In the UK:

UZIN Ltd., 7/8 Cholswell Court Shippon, Abingdon, OX 13 6 HW
Tel. 01235/53 41 06
Fax 01235/53 41 07

Information Services:

UZIN UTZ AG, Product Security Department:	tel.: +49 731 4097-207
24-hour emergency transport information:	tel.: +49 621 60 43 333
24-hour emergency medical information:	tel.: +49 30 19 240

2. Composition/information on ingredients

Contains fluid, synthetic resin dispersions based on polyvinylacetate/polyacrylate-copolymer.
Solvent-free, GISCODE D 1 (contains no liquid, organic compounds with a boiling-point < 200 °C).

3. Hazards identification

The product is not a hazardous preparation in the sense of the Hazardous Substance Regulations. Contains no liquid solvents or hazardous substances which could lead to dangerous concentrations during handling or use. Therefore, from the beginning, it is impossible for the Occupational Exposure Limits (OEL) to be exceeded. The relevant special conditions and duties in the Hazardous Substances Regulations do not apply. The normal precautionary measures for dealing with chemicals must, however, be observed.
Very low emission, EMICODE EC 1.

4. First-aid measures

After skin contact:	Wash with water and soap.
After contact with eyes:	Rinse thoroughly with water and consult a doctor.
After swallowing:	Do not induce vomiting, medical help is necessary, show this label/ safety data sheet.

5. Fire-fighting measures

No special measures required. Extinguishing agents should be appropriate for the location.

6. Accidental release measures

Mechanically remove the spilled material, soak up any residue (e.g. with sand or saw-dust) and dispose according to local and national disposal regulations. Do not allow to disperse into water systems.

7. Handling and storage

7.1 Handling

Avoid contact with eyes and skin. Provide adequate ventilation.

Safety Data Sheet

UZIN U 1000

Carpet Tile Anti-Slip

Uzin Utz AG

Version: 06	revised: 15/02/06	replacement version 05: 17/03/03	page 2 of 3
-------------	-------------------	----------------------------------	-------------

7.2 Storage
Protect from frost.

8. Exposure limits / personal protection

8.1 Exposure limits

Ingredients with limit values that require monitoring at the workplace: None.

8.2 Personal protection

Avoid contact with eyes and skin. Wash hands before breaks and after finishing work. Provide good ventilation. Protection of hands: Barrier cream, protective gloves (rubber, PVC) are recommended in case of prolonged contact with product.

9. Physical and chemical properties

Form:	liquid
Colour:	light blue
Odour:	slight
Density (20°C):	1,0 g/cm ³
Vapour pressure (20°C):	app. 23 mbar (water)
Viscosity: (Brookfield RV 3, 20 min ⁻¹)	app. 110 mPas
Solubility in water (20°C):	can be dispersed
Flash point:	not applicable
Ignition temperature:	not applicable
Explosion limits:	no explosion risk
pH-value:	app. 7-8

10. Stability and reactivity

When used as stated, produces no thermal decomposition, no hazardous products of decomposition and no hazardous reactions.

11. Toxicological information

According to our experience and available information, this product causes no health risk when properly handled and used as stated. Very long exposure to the product can cause skin and eye irritation. The cured, solidified product is non-irritant.

12. Ecological information

Do not allow the product to disperse into drains, sewers or ground. Water contaminant classification (German WGK) = 1, weak water contaminant (self-classification according German VwVwS of 17/05/99).

13. Disposal considerations

Where possible, collect product residues and re-use. Do not allow to disperse into drains, sewers or ground. Empty, scraped and drip-free plastic containers are recyclable. Containers with liquid residues are special waste, those with hardened residues are construction waste. Collected, liquid product residues are special waste.

14. Transport information

Not hazardous goods according to transport regulations: Road Transport (ADR/RID), Sea Transport (IMDG), Air Transport (IATA/ICAO).

Safety Data Sheet
UZIN U 1000
Carpet Tile Anti-Slip

Uzin Utz AG

Version: 06	revised: 15/02/06	replacement version 05: 17/03/03	page 3 of 3
-------------	-------------------	----------------------------------	-------------

15. Regulatory information

Labelling according to EU guidelines: None.

The normal precautionary measures when dealing with chemicals should be observed.

16. Other information

This safety data sheet corresponds with the current version of regulation 91/155/EEC.

Produced by the UZIN Product Security Department. We shall be pleased to provide further information on telephone number +49 731/4097-207.

If you require a personal consultation, e.g. in conjunction with project orders, then you will find competent advisers in our Technical Division of UZIN UK. For installation or product-related queries, please call: 01235/53 41 06

Text marked ◆ has been altered from the preceding version.

Printing date: 19/02/2006